

**Arbiton**  
FLOOR EXPERT



FLOOR PROFILES

[www.arbiton.com](http://www.arbiton.com)

# MORE THAN... FLOOR PROFILES

Innovation, quality and know-how. Since 1994 we've been investing in knowledge, technology and our machinery park.

We aim to become market LEADER wherever we are present. We are pushing forward and strive for more to deliver accessories perfectly matched to the products.



WE TRY HARDER, WE ARE  
THE FLOOR EXPERT




## DESIGN

Every year A.DESIGN STUDIO analyzes trends, changes in consumer preferences and hundreds of new floor colors. That's why we can create customer orientated solutions and stay relevant.

## TECHNOLOGY

Our inhouse laboratory is testing hundreds of floors from all major manufacturers to improve our accessories and create functional floor system. That's why, we know the strongest and weakest points of all types of floors. We are also testing our underlays to deliver top quality solutions for different floor types.




## MANUFACTURE

We are an European leader for production of floor accessories. Our technological development allows us to offer great portfolio of products in various technologies.

# COLOR SYSTEM

Four universal shapes and 35 colors matched for the most popular floors and Arbiton skirting boards.

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page	
<b>COLOR SYSTEM PROFILES</b>										
<b>NEW COLORS</b>	<b>CS30</b>	30 mm	+	+	-	+	+	24 mm	6 mm	14
	<b>CS37</b>	37 mm	+	+	-	+	+	31 mm	17 mm	16
	<b>CS22</b>	22 mm	+	+	-	-	+	16 mm	-	18
	<b>CS25</b>	25 mm	+	+	-	-	+	20 mm	-	20



# PRO SYSTEM


Precise, minimalistic solution for professionals, 8 shapes correspond to 99% of needs.


	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page	
<b>PRO SYSTEM PROFILES</b>										
	<b>PRO20</b>	20 mm	-	-	+	-	+	10 mm	-	24
	<b>PRO T</b>	22mm	-	-	+	-	+	16 mm	-	25
	<b>PRODUO22</b>	22 mm	-	-	+	+	+	16 mm	-	26
	<b>PRO26</b>	26 mm	-	-	+	-	+	10 mm	6 mm	27
	<b>PRO38</b>	38 mm	-	-	+	-	+	32 mm	16 mm	28
	<b>PRODUO38</b>	38 mm	-	-	+	+	+	32 mm	16 mm	29
	<b>PRO L</b>	15/20 mm	-	-	+	-	+	15 mm	-	30
<b>NEW</b>	<b>PRO S1</b>	12/4,5 mm	-	-	+	+	+	-	-	32
<b>NEW</b>	<b>PRO S2</b>	5,5 mm	-	-	+	+	+	-	-	33




# COMPLEMENTARY OFFER

Traditional shapes, proven solutions.

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page	
<b>FOR THE FLOORS AT THE SAME LEVEL</b>										
	<b>T16</b>	16 mm	+	+	-	-	+	10 mm	-	36
	<b>FL16</b>	16 mm	+	-	-	-	+	10 mm	-	37
	<b>SM1</b>	30 mm	+	+	-	+	-	24 mm	-	38
	<b>PR3</b>	30 mm	-	+	-	+	-	24 mm	-	39
	<b>PR3K</b>	30 mm	+	+	-	-	+	24 mm	-	40

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page	
<b>LEVELING PROFILE FOR MISMATCHING FLOORS</b>										
	<b>PR8</b>	38 mm	-	+	-	+	-	32 mm	10 mm	41
	<b>SM2</b>	41 mm	+	+	-	+	-	35 mm	13 mm	42
	<b>SM3</b>	47 mm	+	+	-	+	-	41 mm	17 mm	43
	<b>PR4</b>	48 mm	-	+	-	+	-	42 mm	14 mm	44
	<b>PR10</b>	70 mm	-	+	-	+	-	64 mm	10 mm	45

	Width	Wood	Anode	Inox	Screw fix	Glue fix	Max dilatation	Max leveling	Page	
<b>STAIRS PROFILES</b>										
	<b>CS2</b>	25 mm	+	+	-	-	+	-	-	46
	<b>PS2</b>	25 mm	-	+	-	+	-	-	-	47
	<b>PS8</b>	40 mm	-	+	-	+	-	-	-	48
	<b>PS6</b>	46 mm	-	+	-	+	-	-	-	49



## COLOR SYSTEM

THE MOST UNIVERSAL SYSTEM OF FLOOR PROFILES

### PERFECTLY MATCHED PROFILES AND SKIRTING BOARDS

We are offering a range of 35 colors matched to the best-selling laminated panels and vinyl click floors in COLOR SYSTEM profiles collection, created to fulfill DIY customer needs. The offer is directed to self-service points and professionals looking for exact match of floor and accessories. COLOR SYSTEM is the certainty of a valuable choice. The one, that has never been so simple.

Now you can choose a skirting boards and profile in the same color.



Profiles from COLOR SYSTEM collection are matched to all slats from the INDO, LARS, MACK and VIGO collections

INDO



LARS



MACK








VIGO



# COLOR SYSTEM

Colors available in THE COLOR SYSTEM OF FLOOR PROFILES



# COLOR SYSTEM

PERFECT MATCH

## INDO

PERFECTLY  
IMITATING  
THE REAL  
WOOD



WOOD  
STRUCTURE



4 WAY  
SYSTEM



WOOD  
EFFECT



FLEXIBLE



EASY WALL  
RENOVATION

## LARS

THE IDEAL  
COLOUR  
AND DESIGN  
MATCH



WOOD  
STRUCTURE



EASY  
INSTALLATION



FLEXIBLE

MODERN  
DESIGN

## MACK

WIDE  
INSTALLATION  
CHANNEL



EASY  
INSTALLATION




FLEXIBLE

MODERN  
DESIGN

## VIGO

HYBRID  
SKIRTING



NO SILICONE  
NEEDED



WATERPROOF



SUPER  
FLEXIBLE



DUST AND DIRT  
BARRIER



CLICK  
OR GLUE



WOOD  
EFFECT



HYBRID  
TECHNOLOGY




## SKIRTING COLORS CORRESPONDING TO PROFILES COLORS

PROFIL CS	INDO	LARS	MACK	VIGO 60
40	1, 40			1
A1	41			2
A3				
45	133			3
52				4
25				
2	44			
42			25	
27		2		
50	137	137		
48		50		
19	25	25	107, 131	102
46	131			
23	23			
3	3, 42	3, 42	3	
44	138		138	
26	2		2	
20	20			107
153			153	
158	158			158
159				159
30				
4	4	4	4	
66				
65	9			
7	154		154	110
9	10	46	46	
31	5			
29		9		163
47				154
39		32		
162				162
12	12	12		
49	140			
11	11			



## FOUR GROUPS OF PROFILES TO ANSWER DIFFERENT PURPOSES



### DILATATION PROFILES FLOOR AT THE SAME LEVEL

They are used to connect floors at the same level. You can connect with them any type of floor, e.g. vinyl click floors with a ceramic tiles. A wide range of colors allows you to match color to any floors. You can also choose a profile in silver or titanium.



### LEVELING PROFILES FLOORS AT DIFFERENT LEVELS

They are used to connect floors with different level. The differences are usually small, several milimetres, however, to aesthetically eliminate them it is necessary to choose the right profile.

## SYMBOLS



### MAX DILATATION: \_\_MM

This information shows maximum gap between floors, that particular profile can cover. For floor dilatation – look floor producers recommendations.



### SUPER FLAT

From designer's point of view, best profile is the flattest and smoothest one. Arbiton delivers new, extra flat solution, perfect even for the most demanding clients.




### MAX LEVELING: \_\_MM

This information shows maximum height difference between floors, that particular profile can cover. When calculating the height, always count the whole flooring system – floor + underlay/glue.



### SILICONE BARRIER

Silicone layer added to all Arbiton screw fix profiles, to protect against dirt getting under the profile.



### FINISHING PROFILES

They are used to finish the floors, mask the dilatation gap, in places where it is not covered eg by skirting board. Ideal to finish the floor next to balcony doors or entrances.



### STAIRS PROFILES

They are used to finish the edges of stairs. Some profiles of this type have an additional layer non-slip layer to ensure additional walking safety.



#### PROFI SOLUTION

Profiles for the most demanding clients. Professional assembly systems, narrow and extra flat solutions.




#### DILATATION GLUE

Special hot melt glue formula. Floor profile stays strongly fitted but allows the floor to expand and contract.

# COLOR SYSTEM

THE MOST UNIVERSAL SYSTEM OF FLOOR PROFILES



**CS30**



**CS37**



**CS22**




**CS25**



# ADDITIONAL ACCESSORIES INCLUDED WITH CS37 AND CS30


## MOUNTING DOWELS

- Quick and safe assembly



## CONNECTOR

- To connect two or more profiles
- Simple installation
- Bigger stability of the profile connection



## BRIDGE





- The bridge allows to finish the floor next to the wall or balcony doors
- Stable support of the profile next to the wall
- Adjustable height height – possibility to match up to 4-22 mm by cutting the bridge
- Quick and simple installation – just slide the bridge into the profile




# CS30



## DIMENSIONS









12 pcs

# CS37

5IN1  
COLOR  
SYSTEM  
UNIVERSAL



## DIMENSIONS






## EXTRA COLOR



A2  
0,93 m 5905167769256







12 pcs

# CS22



## DIMENSIONS





2  
1,86 m 5905167815519



3  
1,86 m 5905167815526



4  
1,86 m 5905167815533



7  
1,86 m 5905167815540



9  
1,86 m 5905167815557



11  
1,86 m 5905167815564



12  
1,86 m 5905167815571



19  
1,86 m 5905167815601



20  
1,86 m 5905167815618



23  
1,86 m 5905167815625



25  
1,86 m 5905167815632



26  
1,86 m 5905167815649



27  
1,86 m 5905167815656



29  
1,86 m 5905167815663



30  
1,86 m 5905167815670



31  
1,86 m 5905167815687



39  
1,86 m 5905167815704



42  
1,86 m 5905167816738



44  
1,86 m 5905167816752



45  
1,86 m 5905167816769



46  
1,86 m 5905167816776



47  
1,86 m 5905167816783



48  
1,86 m 5905167816790



49  
1,86 m 5905167816806



50  
1,86 m 5905167816813



65  
1,86 m 5905167839096



66  
1,86 m 5905167839102



153  
1,86 m 5905167839119




158  
1,86 m 5905167839126




159  
1,86 m 5905167839133



162  
1,86 m 5905167839140




40  
1,86 m 5905167815717



52  
1,86 m 5905167824337



A1  
1,86 m 5905167815496






A3  
1,86 m 5905167815502

 12 pcs

# CS25



## DIMENSIONS





2

1,20 m 5905167824368  
2,00 m 5905167824702



3

1,20 m 5905167824375  
2,00 m 5905167824719



4

1,20 m 5905167824382  
2,00 m 5905167824726




7

1,20 m 5905167824399  
2,00 m 5905167824733



9

1,20 m 5905167824405  
2,00 m 5905167824740




11

1,20 m 5905167824412  
2,00 m 5905167824757



12

1,20 m 5905167824429  
2,00 m 5905167824764



19

1,20 m 5905167824450  
2,00 m 5905167824795




20

1,20 m 5905167824467  
2,00 m 5905167824801



23

1,20 m 5905167824474  
2,00 m 5905167824818




25

1,20 m 5905167824481  
2,00 m 5905167824825



26

1,20 m 5905167824498  
2,00 m 5905167824832



27

1,20 m 5905167824504  
2,00 m 5905167824849



29

1,20 m 5905167824511  
2,00 m 5905167824856



30

1,20 m 5905167824528  
2,00 m 5905167824863




31

1,20 m 5905167824535  
2,00 m 5905167824870



39

1,20 m 5905167824559  
2,00 m 5905167824894




42

1,20 m 5905167824580  
2,00 m 5905167824924




44

1,20 m 5905167824603  
2,00 m 5905167824948



45

1,20 m 5905167824610  
2,00 m 5905167824955



46

1,20 m 5905167824627  
2,00 m 5905167824962



47

1,20 m 5905167824634  
2,00 m 5905167824979



48

1,20 m 5905167824641  
2,00 m 5905167824986



49

1,20 m 5905167824658  
2,00 m 5905167824993



50

1,20 m 5905167824665  
2,00 m 5905167825006




65

1,20 m 5905167839157  
2,00 m 5905167839218



66

1,20 m 5905167839164  
2,00 m 5905167839225




153

1,20 m 5905167839171  
2,00 m 5905167839232



158

1,20 m 5905167839188  
2,00 m 5905167839249




159

1,20 m 5905167839195  
2,00 m 5905167839256




162

1,20 m 5905167839201  
2,00 m 5905167839263




40

1,20 m 5905167824566  
2,00 m 5905167824900




52

1,20 m 5905167824672  
2,00 m 5905167825013



A1

1,20 m 5905167824344  
2,00 m 5905167824689




A3

1,20 m 5905167824351  
2,00 m 5905167824696

# PRO SYSTEM


Professional solutions has never been so easy.

This offer is for the most demanding customers. If you are looking for a professional solution at its best style, the PRO SYSTEM offer includes precise and elegant solutions of the most common problems.



## PRO20


DILATATION  
OR FINISHING



- connecting floors of the same level
- finishing at the balcony door
- assembly on glue

## PRO T

DILATATION



- connecting floors of the same level
- assembly on glue

## PRODUO 22

CONNECTION  
WITH CARPET



- connection with carpet at the same level
- two-parts solid installation system
- assembly on glue or screws



## PRO26

LEVELING  
UP TO 6MM



- connecting floors with small level difference
- assembly on glue

In PRO SYSTEM you will find the perfect masking of 10mm vinyl click floors dilatation or aesthetic connection of a hard floor with a carpet.  
8 selected shapes - Professional solutions has never been so easy.



**PRO38**  
LEVELING  
UP TO 16MM

▪ connecting floors with high level difference



**PRODUO38**  
LEVELING  
FLOORS

▪ connection of the hard floor with carpets with a large difference in levels  
▪ two-parts solid installation system  
▪ assembly on glue or screws




**PRO L**  
FINISHING

▪ finishing at the balcony door or furniture bases  
▪ glue assembly



**PRO S**  
PERFECT FOR  
LVT FLOORS

# PRO20





**MAX**  
DILATATION  
10 mm

**PROFI**  
SOLUTION


20 mm

GLUE FIX

## DIMENSIONS



## COLORS




B1

**0,93 m** 5905167800911

**1,86 m** 5905167800942

12 pcs



B3

**0,93 m** 5905167800935



**1,86 m** 5905167800966

12 pcs






## DIMENSIONS



## COLORS




B1

**0,93 m** 5905167815458

**1,86 m** 5905167815472

 12 pcs



B3

**0,93 m** 5905167815465

**1,86 m** 5905167815489

 12 pcs





# PRODUO22




**MAX**  
DILATATION  
16 mm



## DIMENSIONS




## COLORS



B1

**0,93 m** 5905167815106


**1,86 m** 5905167815120



B3

**0,93 m** 5905167815113

**1,86 m** 5905167815137



# PRO26




**MAX**  
LEVELING  
6 mm

**MAX**  
DILATATION  
10 mm


26 mm

GLUE FIX

## DIMENSIONS




## COLORS




B1

**0,93 m** 5905167800973

**1,86 m** 5905167801000


 12 pcs



B3

**0,93 m** 5905167800997

**1,86 m** 5905167801024

 12 pcs

# PRO38




**MAX**  
DILATATION  
32 mm

**MAX**  
LEVELING  
16 mm


38 mm

GLUE FIX

## DIMENSIONS




## COLORS




B1

**0,93 m** 5905167825020

**1,86 m** 5905167825044


 12 pcs



B3

**0,93 m** 5905167825037

**1,86 m** 5905167825051


 12 pcs

# PRODUO38





**MAX**  
LEVELING  
16 mm


**MAX**  
DILATATION  
32 mm



## DIMENSIONS




## COLORS



B1

**0,93 m** 5905167815144


**1,86 m** 5905167801109



B3

**0,93 m** 5905167815151





**1,86 m** 5905167815168




# PRO L



## DIMENSIONS




## COLORS




B1

**0,93 m** 5905167801048

**1,86 m** 5905167801031


 12 pcs



B3

**0,93 m** 5905167801062

**1,86 m** 5905167801055


 12 pcs



# PRO S1 (INNER)



## DIMENSIONS



## COLORS



B1

2,00 m

5905167839287

 12 pcs



B3

2,00 m

5905167839300


 12 pcs




# PRO S2 (OUTER)



## DIMENSIONS



## COLORS




B1

2,00 m

5905167839270

12 pcs



B3

2,00 m

5905167839294


12 pcs

# COMPLEMENTARY OFFER


## DILATATION PROFILES



## LEVELING PROFILES



## STAIRS PROFILES





# T16





**MAX**  
DILATATION  
10 mm

16 mm

GLUE

## DIMENSIONS



## COLORS

**A1**

1,00 m	5905167768327
2,00 m	5905167768471

**A2**

1,00 m	5905167768334
2,00 m	5905167768488

**A3**

1,00 m	5905167768341
2,00 m	5905167768495

**W1**

1,00 m	5905167768358
2,00 m	5905167768501

**W2**

1,00 m	5905167768365
2,00 m	5905167768518

**W3**

1,00 m	5905167768372
2,00 m	5905167768525

**W4**

1,00 m	5905167768419
2,00 m	5905167768563

**W5**

1,00 m	5905167768396
2,00 m	5905167768549

**W6**

1,00 m	5905167768402
2,00 m	5905167768556

**W8**

1,00 m	5905167768426
2,00 m	5905167768570

**W9**

1,00 m	5905167768433
2,00 m	5905167768587

**W10**

1,00 m	5905167768440
2,00 m	5905167768594

**W11**

1,00 m	5905167768457
2,00 m	5905167768600


**W25**

1,00 m	5905167768389
2,00 m	5905167768532



**W27**

1,00 m	5905167768464
2,00 m	5905167768617













12 pcs



## DIMENSIONS



## COLORS





4 pcs




# SM1



## DIMENSIONS



## COLORS







**MAX**  
DILATATION  
24 mm

**SILICONE**  
**BARRIER**  
○○○

30 mm

SCREW FIX

## DIMENSIONS



## COLORS




A1

**0,93 m** 5906735611175

**1,86 m** 5906735611205

0,93m: 12 pcs / 1,86m: pcs




A2

**0,93 m** 5906735611182

**1,86 m** 5906735611212

0,93m: 12 pcs / 1,86m: pcs



A3

**0,93 m** 5905167686515



**1,86 m** 5905167686522

0,93m: 12 pcs / 1,86m: 4 pcs



# PR3K



## DIMENSIONS



## COLORS





12 / 4 pcs





## DIMENSIONS



## COLORS




A1

**0,93 m** 5905167767696

**1,86 m** 5905167767726

0,93m: 12 pcs / 1,86m: 4 pcs




A2

**0,93 m** 5905167767702

**1,86 m** 5905167767733

0,93m: 12 pcs / 1,86m: 4 pcs



A3

**0,93 m** 5905167767719



**1,86 m** 5905167767740

0,93m: 12 pcs / 1,86m: 4 pcs

# SM2




## DIMENSIONS




## COLORS

**A1**




0,93 m	5905167033814
1,86 m	5905167033616
2,79 m	5906735612035

**A2**



0,93 m	5905167033821
1,86 m	5905167033623
2,79 m	5906735612042

**A3**



0,93 m	5905167686348
1,86 m	5905167686355
2,79 m	5905167686362

**W1**



0,93 m	5905167674970
1,86 m	5905167675052
2,79 m	5905167788141

**W2**



0,93 m	5905167674963
1,86 m	5905167675045
2,79 m	5905167788158

**W3**



0,93 m	5905167674987
1,86 m	5905167675069
2,79 m	5905167788165

**W4**



0,93 m	5905167768211
1,86 m	5905167768242
2,79 m	5905167788172

**W5**



0,93 m	5907749015591
1,86 m	5907749015621
2,79 m	5905167788189

**W6**



0,93 m	5905167684498
1,86 m	5905167684511
2,79 m	5905167788196

**W8**



0,93 m	5905167684481
1,86 m	5905167684504
2,79 m	5905167788202

**W9**



0,93 m	5906735625318
1,86 m	5906735625325
2,79 m	5905167788219

**W10**




0,93 m	5905167675007
1,86 m	5905167675083
2,79 m	5905167788226

**W11**



0,93 m	5907749024388
1,86 m	5907749024401
2,79 m	5905167788233

**W25**




0,93 m	5905167768204
1,86 m	5905167768235
2,79 m	5905167788240

**W27**





0,93 m	5905167768228
1,86 m	5905167768259
2,79 m	5905167788257



 12 / 4 pcs



## DIMENSIONS



## COLORS



# PR4



**MAX**  
DILATATION  
42 mm



**MAX**  
LEVELING  
14 mm

**PROFI**  
SOLUTION


48 mm

SCREW FIX

## DIMENSIONS



## COLORS




A1

**0,93 m** 5906735611366

**1,86 m** 5906735611397

12 / 4 pcs




A2

**0,93 m** 5906735611373

**1,86 m** 5906735611403

12 / 4 pcs




A3

**0,93 m** 5905167686546

**1,86 m** 5905167686553

12 / 4 pcs

# PR10



**MAX**  
DILATATION  
64 mm



**MAX**  
LEVELING  
10 mm

**PROFI**  
SOLUTION

70 mm

SCREW FIX

## DIMENSIONS



## COLORS




A1

**0,93 m** 5905167767788

**1,86 m** 5905167767818

8/4 pcs




A2

**0,93 m** 5905167767795

**1,86 m** 5905167767825

8/4 pcs




A3


**0,93 m** 5905167767801

**1,86 m** 5905167767832







8/4 pcs



DIMENSIONS




COLORS



4 pcs



## DIMENSIONS




## COLORS



A1

**1,20 m**      5905167767962

 4 pcs




A3


**1,20 m**      5905167767986

 4 pcs

# PS8



## DIMENSIONS




## COLORS



A1

**1,20 m** 5905167768020

 4 pcs




A3


**1,20 m** 5905167768044

 4 pcs






## DIMENSIONS




## COLORS



A1

1,20 m

5905167768082



A3

1,20 m



5905167768105



# ACCESSORIES

## SERVICE PACK

The mounting system for the slats from the COLOR SYSTEM series  
EAN: 5905167827178



## METAL SCREW KIT

set includes 5 metal screws + mounting pins  
(universal for the COLOR SYSTEM and PRO SYSTEM series profiles)  
EAN: 5905167825068





The catalogue is a free of charge presentation of products of Decora S.A. and acc. to valid law it is not a commercial offer. Colors and textures of the products in pictures may differ from real ones because of limited printing technologies. Decora S.A. reserves its right to alter availability of the products on some markets and at some distributors. The products included in the catalogues do not pose a complete offer of Decora S.A.

## CHECK OUR COMPLEMENTARY PRODUCTS:



**SKIRTING BOARDS**



**UNDERLAYS**



**VINYL FLOOR**



**Arbiton**  
FLOOR EXPERT

Decora S.A.  
ul. Prądyńskiego 24a  
63-000 Środa Wlkp., Polska  
tel.: +48 61 28 64 200  
fax: +48 61 28 54 975  
e-mail: sales@decora.pl  
[www.arbiton.com](http://www.arbiton.com)